



Durasein
Sinks Catalog
2024

—
Let your
creativity flow.

Your worries, down the drain

We've got this, you've got this.

Sinks and skills – we've got both. We've years of experience designing and manufacturing these shaped delights, everything from bathroom vanities to hospital essentials. We love to collaborate with designers to create sinks that suit any application. Stock or special order, we've got you covered.

For us, design is as important as function when it comes to our sinks. It's what breaks the mold. We don't stop at our high-quality acrylic sinks. Our in-house custom sink design and production capabilities mean we're ready to help you make something special.

Any sink. Any quantity. Anywhere in the world.

No idea is too big.

If you can't find something you love in our standard offering. Give us a shout. Our team of creative customizers here at D.Lab will whip up your wildest creations.

—
Sinks & skills,
we've got them
both.










Durasein

Sink Information

NAME
THE FRIDA
MODEL
DLA104A
TOLERANCE
 $\pm 3/16"$



A-A





Durasein

Sink Information

MODEL
DLA104A
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: yes

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 1 3/4" (44mm)

Quick Dimensions

- Width 18 5/16" (465mm)
- Height 6 15/16" (177mm)
- Length 15 3/16" (385mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.



See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.





Durasein

Sink Information

NAME
THE FRIDA
MODEL
DLA359
TOLERANCE
 $\pm 3/16"$



A-A





Durasein

Sink Information

MODEL
DLA359
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: no

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 1 3/4" (44mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Quick Dimensions

- Width 18 1/4" (464mm)
- Height 5 31/32" (152mm)
- Length 14 15/16" (380mm)

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.



See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.





Durasein

Sink Information

NAME
THE EURO
MODEL
DLA354
TOLERANCE
 $\pm 3/16"$



A-A





Durasein

Sink Information

MODEL
DLA354
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: no

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 1 3/4" (44mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Quick Dimensions

- Width 15 25/32" (401mm)
- Height 5 27/32" (149mm)
- Length 11 27/32" (301mm)

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.





See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.



Durasein

Sink Information

NAME
THE EURO
MODEL
DLA360A
TOLERANCE
 $\pm 3/16"$





Durasein

Sink Information

MODEL
DLA360A
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: yes

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 1 3/4" (45mm)

Quick Dimensions

- Width 16 11/16" (408mm)
- Height 16 1/16" (178mm)
- Length 12 3/16" (310mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.





See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.



Durasein

Sink Information

NAME
THE ANSEL
MODEL
DLB401A
TOLERANCE
 $\pm 3/16"$





Durasein

Sink Information

MODEL
DLB401A
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: yes

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 1 24/32" (45mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Quick Dimensions

- Width 15 31/32" (406mm)
- Height 6 15/32" (165mm)
- Length 11 23/32" (298mm)

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.





See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.



Durasein

Sink Information

NAME
THE ANSEL
MODEL
DLB402
TOLERANCE
 $\pm 3/16"$





Durasein

Sink Information

MODEL
DLB402
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: no

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 1 24/32" (45mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Quick Dimensions

- Width 15 31/32" (406mm)
- Height 6 15/32" (165mm)
- Length 11 23/32" (298mm)

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.


See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.




Durasein

Sink Information



NAME
THE ANDY
MODEL
DLB379A
TOLERANCE
 $\pm 3/16"$



A-A



B-B





Durasein

Sink Information

MODEL
DLB379A
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: yes

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 1 3/4" (44mm)

Quick Dimensions

- Width 19 5/8" (497mm)
- Height 7 1/8" (180mm)
- Length 14 3/8" (364mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.





See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.



Durasein

Sink Information

NAME
THE ANDY
MODEL
DLB411
TOLERANCE
 $\pm 3/16"$





Durasein

Sink Information

MODEL
DLB411
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: no

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 1 3/4" (44mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Quick Dimensions

- Width 20" (507mm)
- Height 5 7/8" (150mm)
- Length 14 3/4" (374mm)

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.


See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.




Durasein

Sink Information



NAME
THE VINCENT
MODEL
DLD125
TOLERANCE
 $\pm 3/16"$



A-A



B-B





Durasein

Sink Information

MODEL
DLD125
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: no

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 3 1/16" (90mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Quick Dimensions

- Width 22 11/16" (577mm)
- Height 7 7/8" (200mm)
- Length 17 1/2" (445mm)

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.



See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.




Durasein

Sink Information



NAME
THE HENRI
MODEL
DLD202
TOLERANCE
 $\pm 3/16"$



A-A



B-B





Durasein

Sink Information

MODEL
DLD202
DATE
2024

Features & Benefits

- 100% acrylic
- Easy to clean
- Non-porous
- Stain resistant
- Mold & mildew resistant
- Suitable for residential & commercial applications
- Integral overflow :: no

Installation Tips

- Undermount
- No faucet holes
- Drain assembly not included
- Drain hole size: 3 1/16" (90mm)

Available Colors



Color shown may vary from actual product. Request sample prior to product selection. We'd love to create something a little more custom for you, longer lead times with minimum order quantity apply.

Codes/Standards/Tech Info

- Durasein solid surface sinks and lavatories are certified by Home Innovation Research Labs and tested in accordance with CSA B45.5/IAPMO Z124
- All dimensions are nominal
- Details and specifications are subject to change
- ADA compliant when installed in accordance to ADA guidelines

Quick Dimensions

- Width 30 7/8" (785mm)
- Height 9 13/16" (250mm)
- Length 18 7/8" (480mm)

Durasein Limited Warranty

- 10 year limited warranty against manufacturing defects under normal use.

See website for detailed warranty information. Durasein reserves the right to make reservations without notice to product specifications. For the most current information, for to durasein.com/us.